


Toolkit to Disable/Enable Automatic Delivery of Internet Explorer 8


1. Download the toolkit from the [Microsoft website](#) (it will be saved to your browser's default location).
2. Locate the toolkit and double click to open:



3. Select Run




4. Accept terms/conditions



5. Type C:\Temp in the space provided.




6. Click OK.
 7. Open up a DOS Command session:
 8. Goto > start > run type in: cmd
 9. At the prompt type cd C:\Temp
- **To Block the IE8 download at the C:\Temp> prompt type:** IE80Blocker.cmd /B



IE 8 will not come in with your automatic updates.

- **To Unblock the IE8 download at the C:\Temp> prompt type:** IE80Blocker.cmd /U

A screenshot of a Windows XP command prompt window. The title bar reads "C:\WINDOWS\system32\cmd.exe". The window content shows the following text:

```
Microsoft Windows XP [Version 5.1.2600]
(C) Copyright 1985-2001 Microsoft Corp.

I:\>c:

C:\>cd \Temp

C:\Temp>IE80Blocker.cmd /U
MICROSOFT TOOL KIT TO DISABLE DELIVERY OF
MICROSOFT INTERNET EXPLORER 8

Copyright (C) Microsoft Corporation. All rights reserved.

LOCAL!
Unblocking deployment of Internet Explorer 8 on the local machine

The operation completed successfully

C:\Temp>exit
```

IE 8 will come in with your next set of automatic updates, or you can go to the Microsoft Updates website and download/install from there.